

Space Standards for residential development

Developers Guide Part 4 - supplement

November 2018

Space Standards for residential development

This document is a supplement to the Developers Guide Part 4 General Development Guidance.

All new residential development (dwelling houses - use class C3), including new build, conversions and change of use shall be designed and built to meet the space standards as set out in the Government's document as defined below or subsequent future revisions of it:

'Technical housing standards - nationally described space standard'

Department for Communities and Local Government 2015 (with a note added 19 May 2016)

The document is referred to in the Planning Practice Guidance under Housing - Optional Technical Standards. The content of the document is below and it is available (as at Nov 2018) on this Government web site link:

<https://www.gov.uk/government/publications/technical-housing-standards-nationally-described-space-standard>

Limited exceptions may be made where heritage buildings, such as Listed or Locally Listed buildings, are proposed for conversion or extension.

The above requirement comes into operation from 1 November 2018 in terms of decisions made on planning applications received from this date.

The room sizes in the Councils Flat Conversion Guidelines 1992 are withdrawn.

Definition of a family home

The definition of 'family housing' in the Glossary of the Slough Local Development Framework 'Core Strategy 2006-2026' adopted 2008 is updated to reflect the nationally described standard re 4 person homes - 76 sqm becomes 79 sqm gross internal area.

It will now read as follows:

A fully self-contained dwelling with a minimum gross internal floor area of 79 square metres, that has direct access to a private garden. Comprises a minimum of two bedrooms and may include detached, semi-detached, terraced and town house dwellings but not flats and maisonettes.

Contact:

e: planningpolicy@slough.gov.uk
w: www.slough.gov.uk

November 2018
Slough Borough Council - Planning services
HGA

Technical housing standards - nationally described space standard

Introduction

1. This standard deals with internal space within new dwellings and is suitable for application across all tenures. It sets out requirements for the Gross Internal (floor) Area of new dwellings at a defined level of occupancy as well as floor areas and dimensions for key parts of the home, notably bedrooms, storage and floor to ceiling height.
2. The requirements of this standard for bedrooms, storage and internal areas are relevant only in determining compliance with this standard in new dwellings and have no other statutory meaning or use.
5. This allows for different combinations of single and double/twin bedrooms to be reflected in the minimum Gross Internal Area. The breakdown of the minimum Gross Internal Area therefore allows not only for the different combinations of bedroom size, but also for varying amounts of additional living, dining, kitchen and storage space; all of which are related to the potential occupancy.

Using the space standard

3. The standard Gross Internal Areas set out in Table 1 are organised by storey height to take account of the extra circulation space needed for stairs to upper floors, and deal separately with one storey dwellings (typically flats) and two and three storey dwellings (typically houses).
4. Individual dwelling types are expressed with reference to the number of bedrooms (denoted as 'b') and the number of bedspaces (or people) that can be accommodated within these bedrooms (denoted as 'p'). A three bedroom (3b) home with one double bedroom (providing two bed spaces) and two single bedrooms (each providing one bed space) is therefore described as 3b4p.
6. Relating internal space to the number of bedspaces is a means of classification for assessment purposes only when designing new homes and seeking planning approval (if a local authority has adopted the space standard in its Local Plan). It does not imply actual occupancy, or define the minimum for any room in a dwelling to be used for a specific purpose other than in complying with this standard.
7. Minimum floor areas and room widths for bedrooms and minimum floor areas for storage are also an integral part of the space standard. They cannot be used in isolation from other parts of the design standard or removed from it.
8. The Gross Internal Area of a dwelling is defined as the total floor space measured between the internal faces of perimeter walls¹ that enclose the dwelling. This includes partitions, structural elements, cupboards, ducts, flights of stairs and voids above stairs. The Gross Internal Area should be measured and denoted in square metres (m²).

¹ The internal face of a perimeter wall is the finished surface of the wall. For a detached house, the perimeter walls are the external walls that enclose the dwelling, and for other houses or apartments they are the external walls and party walls.

9. The Gross Internal Areas in this standard will not be adequate for wheelchair housing (Category 3 homes in Part M of the Building Regulations) where additional internal area is required to accommodate increased circulation and functionality to meet the needs of wheelchair households.

Technical requirements

10. The standard requires that:

- a. the dwelling provides at least the gross internal floor area and built-in storage area set out in Table 1 below
- b. a dwelling with two or more bedspaces has at least one double (or twin) bedroom
- c. in order to provide one bedspace, a single bedroom has a floor area of at least 7.5m² and is at least 2.15m wide
- d. in order to provide two bedspaces, a double (or twin bedroom) has a floor area of at least 11.5m²
- e. one double (or twin bedroom) is at least 2.75m wide and every other double (or twin) bedroom is at least 2.55m wide
- f. any area with a headroom of less than 1.5m is not counted within the Gross Internal Area unless used solely for storage (if the area under the stairs is to be used for storage, assume a general floor area of 1m² within the Gross Internal Area)
- g. any other area that is used solely for storage and has a headroom of 900-1500mm (such as under eaves) is counted at 50% of its floor area, and any area lower than 900mm is not counted at all
- h. a built-in wardrobe counts towards the Gross Internal Area and bedroom floor area requirements, but should not reduce the effective width of the room below the minimum widths set out above. The built-in area in excess of 0.72m² in a double bedroom and 0.36m² in a single bedroom counts towards the built-in storage requirement
- i. the minimum floor to ceiling height is 2.3m for at least 75% of the Gross Internal Area

Table 1 - Minimum gross internal floor areas and storage (m²)

Number of bedrooms(b)	Number of bed spaces (persons)	1 storey dwellings	2 storey dwellings	3 storey dwellings	Built-in storage
1b	1p	39 (37) *			1.0
	2p	50	58		1.5
2b	3p	61	70		2.0
	4p	70	79		
3b	4p	74	84	90	2.5
	5p	86	93	99	
	6p	95	102	108	
4b	5p	90	97	103	3.0
	6p	99	106	112	
	7p	108	115	121	
	8p	117	124	130	
5b	6p	103	110	116	3.5
	7p	112	119	125	
	8p	121	128	134	
6b	7p	116	123	129	4.0
	8p	125	132	138	

* Notes (added 19 May 2016):

- Built-in storage areas are included within the overall GIAs and include an allowance of 0.5m² for fixed services or equipment such as a hot water cylinder, boiler or heat exchanger.
- GIAs for one storey dwellings include enough space for one bathroom and one additional WC (or shower room) in dwellings with 5 or more bedspaces. GIAs for two and three storey dwellings include enough space for one bathroom and one additional WC (or shower room).
- Additional sanitary facilities may be included without increasing the GIA provided that all aspects of the space standard have been met.
- Where a 1b1p has a shower room instead of a bathroom, the floor area may be reduced from 39m² to 37m², as shown bracketed.
- Furnished layouts are not required to demonstrate compliance.

This document can be made available on audio tape, braille or in large print, and is also available on the website where it can easily be viewed in large print.

If you would like assistance with the translation of the information in this document, please ask an English speaking person to request this by calling 01753 701157.

यदि आप इस दस्तावेज में दी गई जानकारी के अनुवाद किए जाने की सहायता चाहते हैं तो कृपया किसी अंग्रेजी भाषी व्यक्ति से यह अनुरोध करने के लिए 01753 701157 पर बात करके कहें.

ਜੇ ਤੁਸੀਂ ਇਸ ਦਸਤਾਵੇਜ਼ ਵਿਚਲੀ ਜਾਣਕਾਰੀ ਦਾ ਅਨੁਵਾਦ ਕਰਨ ਲਈ ਸਹਾਇਤਾ ਚਾਹੁੰਦੇ ਹੋ, ਤਾਂ ਕਿਸੇ ਅੰਗਰੇਜ਼ੀ ਬੋਲਣ ਵਾਲੇ ਵਿਅਕਤੀ ਨੂੰ 01753 701157 ਉੱਤੇ ਕਾਲ ਕਰਕੇ ਇਸ ਬਾਰੇ ਬੇਨਤੀ ਕਰਨ ਲਈ ਕਹੋ।

Aby uzyskać pomoc odnośnie tłumaczenia instrukcji zawartych w niniejszym dokumencie, należy zwrócić się do osoby mówiącej po angielsku, aby zadzwoniła w tej sprawie pod numer 01753 701157.

Haddii aad doonayso caawinaad ah in lagu turjibaano warbixinta dukumeentigaan ku qoran, fadlan weydiiso in qof ku hadla Inriis uu ku Waco 01753 701157 si uu kugu codsado.

اگر آپ کو اس دستاویز میں دی گئی معلومات کے ترجمے کے سلسلے میں مدد چاہئے تو، براہ کرم ایک انگریزی بولنے والے شخص سے 01753 701157 پر کال کر کے اس کی درخواست کرنے کے لئے کہیں۔

This document can be made available on audio tape, braille or in large print, and is also available on the website where it can easily be viewed in larger print.